

**INFORMATION
DISCLOSURE
STATEMENT**

MAR 24 2003

Atty. Docket No.: 290.00090101

Serial No.: 09/640,952

Applicant(s): Kinch et al.

Confirmation No.: 3252

Application Filing Date: 17 August 2000

Group: 1642

Information Disclosure Statement mailed:

24 March 2003

U.S. PATENT DOCUMENTS

Examiner Initial	Document Number	Date	Name	Class	Subclass	Filing Date If Appropriate
KAC	4,704,692	11/03/1987	Ladner			
	4,816,567	03/28/89	Cabilly et al.			
	US 2001/0031252	10/18/01	Low et al.			

FOREIGN PATENT DOCUMENTS

Examiner Initial	Document Number	Date	Country	Class	Subclass	Translation	
						Yes	No
KAC	WO 94/04679	03/03/94	PCT				
	WO 94/29348	12/22/94	PCT				
	WO 01/12840 A2	02/22/01	PCT				
	WO 01/12840 A3	02/22/01	PCT				

OTHER DOCUMENTS (Including Authors, Title, Date, Pertinent Papers, etc.)

Examiner Initial	Document Description
KAC	Aasheim et al. "A splice variant of human ephrin-A4 encodes a soluble molecule that is secreted by activated human B lymphocytes." <i>Blood</i> . 2000;95(1):221-30.
	Abrahmsen et al., "Engineering Subtilisin and Its Substrates for Efficient Ligation of Peptide Bonds in Aqueous Solution," <i>Biochemistry</i> , 1991;30:4151-4159.
	Angrist et al. "Chromosomal Localization of the Mouse Src-like Adapter Protein (Slap) Gene and Its putative Human Homolog SLA," <i>Genomics</i> 1995;30:623-625.
	Baggiolini et al., "Interleukin-8, a chemotactic and inflammatory cytokine," <i>FEBS Lett.</i> , 1992; 307(1):97-101.
	Baggiolini et al. "Interleukin-8 and the Chemokine Family" <i>Int. J. Immunopharmac</i> 1995;17(2):103-108
	Behrens et al., "Cell-cell adhesion in invasion and metastasis of carcinomas," <i>Cancer Treat. Res.</i> , 1994; 71:251-266.


EXAMINER

Karen G. Garella


Date Considered

6/13/03

*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

INFORMATION DISCLOSURE STATEMENT 	Atty. Docket No.: 290.00090101	Serial No.: 09/640,952
	Applicant(s): Kinch et al.	Confirmation No.: 3252
	Application Filing Date: 17 August 2000	Group: 1642
	Information Disclosure Statement mailed: 24 March 2003	

Examiner		Document Description
KAC		Boerner et al. "Production of antigen-Specific Human Monoclonal Antibodies from in vitro-primed Human Splenocytes", <i>J. Immunol.</i> , 1991; 147(1):86-95.
		Bohme et al. "PCR mediated detection of a new human receptor-tyrosine-kinase, HEK 2." <i>Oncogene</i> . 1993;8(10):2857-62.
		Bowie et al. "Deciphering the Message in Protein Sequences: Tolerance to Amino Acid Substitutions" <i>Science</i> 247:1306-1310.
		Brady-Kalnay et al., "Dynamic Interaction of PTP μ with Multiple Cadherins In Vivo" <i>J. Cell Biol.</i> , 1998; 141:287-296.
		Burgess et al. "Possible Dissociation of the Heparin-binding Mitogenic Activities of Heparin-binding (Acidic Fibroblast) Growth Factor-1 from Its Receptor-binding Activities by Site-directed Mutagenesis of a Single Lysine Residue" <i>J. Cell Biology</i> 1990;111:2129-2138.
		BurrIDGE et al., "Focal adhesions: transmembrane junctions between the extracellular matrix and the cytoskeleton," <i>Annu. Rev. Cell Dev. Biol.</i> , 1988; 4:487-525.
		BurrIDGE et al., "Focal adhesions, contractility, and signaling," <i>Annu. Rev. Cell Dev. Biol.</i> , 1996; 12:463-518.
		Carles-Kinch "Antibody Targeting of the EphA2 Tyrosine Kinase Inhibits Malignant Cell Behavior," <i>Cancer Research</i> 2002;62:2840-2847.
		Carter et al., "Humanization of an anti-p185 ^{HER2} antibody for human cancer therapy," <i>Proc. Natl. Acad. Sci. USA</i> , 1992;89:4285-4289.
		Chen et al. "An enhancer element in the EphA2 (Eck) gene sufficient for rhombomere-specific expression is activated by HOXA1 and HOXB1 homeobox proteins." <i>J Biol Chem</i> . 1998;273(38):24670-5.
		Chen et al. "Germ-line inactivation of the murine Eck receptor tyrosine kinase by gene trap retroviral insertion." <i>Oncogene</i> 1996;12(5):979-88.
		Chen et al., "Integrin-mediated cell adhesion activates mitogen-activated protein kinases," <i>J. Biol. Chem.</i> , 1994;269:26002-26005.
		Chothia et al., "Canonical Structures for the Hypervariable Regions of Immunoglobulins," <i>J. Mol. Biol.</i> , 1987;196:901-917.

EXAMINER 	Date Considered 6/13/03
<p>*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.</p>	

**INFORMATION
DISCLOSURE
STATEMENT**

MAR 24 2003

Atty. Docket No.: 290.00090101

Serial No.: 09/640,952

Applicant(s): Kinch et al.

Confirmation No.: 3252

Application Filing Date: 17 August 2000

Group: 1642

Information Disclosure Statement mailed:

24 March 2003

Examiner Initial	Document Description
KAC	Clark et al. "Aberrant function of the Ras signal transduction pathway in human breast cancer" <i>Breast Cancer Res. Treat.</i> 1995;35(1):133-144.
	Clark et al., "The Ras-related protein Fheb is farnesylated and antagonizes Ras signaling and transformation," <i>J. Biol. Chem.</i> , 1997; 272:10608-10615.
	Clark-Lewis et al. "Chemical Synthesis, Purification, and Characterization of Two Inflammatory Proteins, Neutrophil Activating Peptide 1 (Interleukin-8) and Neutrophil Activating Peptide 2, <i>Biochemistry</i> 1991;30:3128-3135.
	Clark-Lewis et al. "Structural Requirements for Interleukin-8 Function Identified by Design of Analogs and CXC Chemokine Hybrids, <i>J. Biol. Chem.</i> , 1994;269:16075-16081.
	Connor et al. "Expression and tyrosine phosphorylation of Eph receptors suggest multiple mechanisms in patterning of the visual system." <i>Dev Biol.</i> 1998;193(1):21-35.
	Curti "Physical barriers to drug delivery in tumors" <i>Critical Reviews in Oncology/Hematology</i> 1993;14:29-39.
	D'Amico "Predicting the Sites of Metastasis Form Lung Cancer Using Molecular Biologic Markets" <i>Ann. Thorac. Surg.</i> 2001;72:1144-8.
	Dawson et al., "Synthesis of Proteins by Native Chemical Ligation," <i>Science</i> , 1994;266:776-779.
	deLisle et al., <i>Techniques in Protein Chemistry IV</i> , Academic Press, New York, 1992, pp. 257-267.
	Dermer "Another Anniversary for the War on Cancer" <i>Bio/Technology</i> 1994;12:320.
	Easty et al. "Up-regulation of ephrin-A1 during melanoma progression." <i>Int J Cancer.</i> 1999;84(5):494-501.
	Fenrick "TEL, a Putative Tumor Suppressor, Modulates Cell Growth and Cell Morphology of Ras-Transformed Cells While Repressing the Transcription of <i>stromelysin-1</i> " <i>Molecular and Cellular Biology</i> 2000;20(6):5828-5839.
✓	Ferrone et al., eds., <i>Handbook of Monoclonal Antibodies</i> , Nokes Publications, Park Ridge, N.J., 1985. Chapter 22 and 303-357.

EXAMINER

Norm A. Gancille

Date Considered

6/13/03

*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

**INFORMATION
DISCLOSURE
STATEMENT**

MAR 24 2003

Atty. Docket No.: 290.00090101

Serial No.: 09/640,952

Applicant(s): Kinch et al.

Confirmation No.: 3252

Application Filing Date: 17 August 2000


Group: 1642

Information Disclosure Statement mailed:

24 March 2003

Initial	Document Description
KAC	Foulkes et al. "Purification and characterization of a protein-tyrosine kinase encoded by the Abelson murine leukemia virus <i>J. Biol. Chem.</i> 1985; 260:8070-8077.
	Freshney <i>Culture of Animal Cells. A Manual of Basic Technique</i> 1983;3-4
✓	Gale et al., "Eph receptors and ligands comprise two major specificity subclasses and are reciprocally compartmentalized during embryogenesis," <i>Neuron</i> , 1996;17:9-19.
	Ganju et al. "The Eck receptor tyrosine kinase is implicated in pattern formation during gastrulation, hindbrain segmentation and limb development." <i>Oncogene</i> . 1994;9(6):1613-24.
✓	Geiger et al., "Cadherins," <i>Annu. Rev. Cell Biol.</i> , 1992;8:307-332.
✓	George et al., "The VAB-1 Eph receptor tyrosine kinase functions in neural and epithelial morphogenesis in <i>C. Elegans</i> ," <i>Cell</i> , 1998; 92:633-643.
✓	Goding, <i>Monoclonal Antibodies: Principles and Practice</i> , Academic Press, 1986, cover page and pp. 59-103.
✓	Gura "Systems for Identifying New Drugs are Often Faulty <i>Science</i> 1997;278:1041-1042.
	Helbling et al. "Requirement for EphA receptor signaling in the segregation of <i>Xenopus</i> third and fourth arch neural crest cells." <i>Mech Dev.</i> 1998;78(1-2):63-79.
✓	Henkeneyer et al., "Nuk controls pathfinding of commissural axons in the mammalian central nervous system," <i>Cell</i> , 1996; 86:35-46.
✓	Hoogenboom et al., "By-passing Immunisation Human Antibodies from Synthetic Repertoires of Germline V _H Gene Segments Rearranged <i>in Vitro</i> " <i>J. Mol. Biol.</i> , 1991;227:381-388.
	Hunter et al. "Novel receptor protein-tyrosine kinases" <i>Adv Second Messenger Phosphoprotein Res.</i> 1990;24:260-5:
	Hunter et al. "Receptor protein tyrosine kinases and phosphatases." <i>Cold Spring Harb Symp Quant Biol.</i> 1992;57:25-41.
✓	Hutchcroft, "B lymphocyte activation is accompanied by phosphorylation of a 72-kDa protein-tyrosine kinase," <i>J. Biol. Chem.</i> , 1991;266:2595-14849.

EXAMINER



Date Considered

6/13/03

*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

**INFORMATION
DISCLOSURE
STATEMENT**

MAR 24 2003

Atty. Docket No.: 290.00090101

Serial No.: 09/640,952

Applicant(s): Kinch et al.

Confirmation No.: 3252

Application Filing Date: 17 August 2000

Group: 1642

Information Disclosure Statement mailed:

24 March 2003

Examiner Initial	Document Description
KAC	Jain "Barriers to Drug Delivery in Solid Tumors" <i>Scientific American</i> , 1994;58-65.
	Jakobovits et al., "Analysis of homozygous mutant chimeric mice: Deletion of the immunoglobulin heavy-chain joining region blocks B-cell development and antibody production" <i>Proc. Natl. Acad. Sci. USA</i> , 1993; 90:2551-2555.
	Jakobovits et al., "Germ-like transmission and expression of a human-derived yeast artificial chromosome" <i>Nature</i> , 1993;362:255-258.
	Jones, "Replacing the complementarity-determining regions in a human antibody with those from a mouse" <i>Nature</i> 1986;321:522-525.
	Khosravi-Far et al. "Activation of Rac1, RhoA, and Mitogen-Activated Protein Kinases Is Required for Ras Transformation" <i>Molecular and Cellular Biology</i> 1995;15(11)6443-6453.
	Kikawa et al. "Regulation of the EphA2 kinase by the low molecular weight tyrosine phosphatase induces transformation." <i>J Biol Chem.</i> 2002;277(42):39274-9.
	Kinch et al., "Altered adhesions in ras-transformed breast epithelial cells," <i>Biochem. Soc. Trans.</i> , 1995;23:446-450.
	Kinch et al., "Cell adhesion mediated by CD4 and MHC class II proteins requires active cellular processes," <i>J. Immunol.</i> , 1993; 151:4552-4561.
	Kinch et al., "Cytometric analysis of cell contact and adhesion," <i>Cytometry</i> , Darzynkiewicz et al., Eds., 3 rd Ed. Academic Press, San Diego, CA, 2000.
	Kinch et al. "E-cadherin engagement stimulates tyrosine phosphorylation" <i>Cell Adhes. Commun.</i> 1997;4:425-437.
	Kinch et al., "The protein tyrosine kinase p56 ^{lck} regulates cell adhesion mediated by CD4 and MHC class II proteins," <i>J. Exp Med.</i> , 1994; 180:1729-1739.
	Kirk et al., "The human anti-porcine cell mediated response: In vitro studies of function and molecular interaction," <i>Transplant</i> , 1993; 55(4):924-931.
✓	Kohler et al. "Continuous culture of fused cells secreting antibody of predefined specificity" <i>Nature</i> 1975;256:495-497.

EXAMINER



Date Considered

6/13/03


*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



INFORMATION DISCLOSURE STATEMENT	Atty. Docket No.: 290.00090101	Serial No.: 09/640,952
	Applicant(s): Kinch et al.	Confirmation No.: 3252
	Application Filing Date: 17 August 2000	Group: 1642
	Information Disclosure Statement mailed: 24 March 2003	

Examiner Initial	Document Description
KAC	Kozbor et al., "A Human Hybrid Myeloma for Production of Human Monoclonal Antibodies," <i>J. Immunol.</i> , 1984; 133:3001-3005.
	Lazar et al. "Transforming Growth Factor : Mutation of Aspartic Acid 47 and Leucine 48 Results in Different Biological Activities" <i>Molecular and Cellular Biology</i> 1998;8(3):1247-1252.
	Lickliter et al. "Embryonic stem cells express multiple Eph-subfamily receptor tyrosine kinases." <i>Proc Natl Acad Sci U S A.</i> 1996;93(1):145-50.
	Marks et al. "By-passing immunization. Human antibodies from V-gene libraries displayed on phage." <i>J Mol Biol.</i> 1991;222(3):581-97.
	Maru et al., "Overexpression confers an oncogenic potential upon the <i>eph</i> gene," <i>Oncogene</i> , 1990;5:445-447.
	McLaughlin "Functional consequences of coincident expression of EphA receptors and ephrin-A ligands." <i>Neuron.</i> 1999;22(4):636-9.
	Michael et al. "Efficient gene-specific expression of cre recombinase in the mouse embryo by targeted insertion of a novel IRES-Cre cassette into endogenous loci." <i>Mech Dev.</i> 1999;85(1-2):35-47.
	Miller et al., "The engagement of β_1 integrins on promonocytic cells promotes phosphorylation of Syk and formation of a protein complex containing Lyn and β_1 integrin," <i>Eur. J. Immuno.</i> , 1999;29:1426-1434.
	Morrison et al., "Chimeric human antibody molecules: Mouse antigen-binding domains with human constant region domains," <i>Proc. Natl. Acad. Sci. USA</i> , 1984;81:6851-6855.
	Munson et al., "LIGAND: A Versatile Computerized Approach for Characterization of Ligand-Binding Systems," <i>Anal. Biochem.</i> , 1980;107:220-239.
	Murphy et al., "Epidermal growth factor gene expression in human breast cancer cells: regulation of expression by progestins," <i>Cancer Res.</i> , 1988; 48:4555-4560.
	Nose et al., "Expressed recombinant cadherins mediate cell sorting in model systems," <i>Cell</i> , 1988;54:993-1001.

EXAMINER 	Date Considered 6/13/03
*Examiner's Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	



INFORMATION DISCLOSURE STATEMENT	Atty. Docket No.: 290.00090101	Serial No.: 09/640,952
	Applicant(s): Kinch et al.	Confirmation No.: 3252
	Application Filing Date: 17 August 2000	Group: 1642
	Information Disclosure Statement mailed: 24 March 2003	

Examiner Initial	Document Description
KAC	O'Brien et al., "A mechanism for trabecular meshwork cell retraction: Ethacrynic acid initiates the dephosphorylation of focal adhesion proteins," <i>Exp. Eye Res.</i> , 1997;65:471-483.
	Orsulic et al. "Expression of Eph receptors and ephrins is differentially regulated by E-cadherin." <i>J Cell Sci.</i> 2000;113(Pt 10):1793-802.
	Oslo et al., <i>Remington's Pharmaceutical Science</i> , 16 th ed., Mack Publishing Co., 1980: Table of Contents and Cover Page.
	Owens et al., "Overexpression of focal adhesion kinase (p125 ^{FAK}) in invasive human tumors," <i>Cancer Res.</i> , 1995;55:2752-2755.
	Ozawa et al., "A possible new adhesive site in the cell-adhesion molecule uvomorulin," <i>Mech. Dev.</i> , 1991;33:49-56.
	Paine et al., "Characterization of epithelial phenotypes in mortal and immortal human breast cells," <i>Int. J. Cancer</i> , 1992;50:463-473.
	Pandey et al., "Role of B61, the ligand for the Eck receptor tyrosine kinase, in TNF- α -induced angiogenesis," <i>Science</i> , 1995; 269:567-569.
	Parsons, "Integrin-mediated signaling: regulation by protein tyrosine kinases and small GTP-binding proteins," <i>Curr. Opin. Cell Biol.</i> , 1996;8:146-152.
	Patarca "Protein Phosphorylation and Dephosphorylation in Physiologic and Oncologic Processes", <i>Critical ReviewsTM in Oncogenesis</i> , 1996;7:343-432.
	Presta "Antibody engineering" <i>Current Op. Struct. Biol.</i> 1992;2:593-596.
	Presta et al., "Humanization of an Antibody Directed Against IgE," <i>J. Immunol.</i> , 1993;151:2623.
	Rajaratnam et al., "H NMR Studies of Interleukin 8 Analogs: Characterization of the Domains Essential for Functions," <i>Biochemistry</i> , 1994; 33:6623-30.
	Riechmann et al., "Reshaping human antibodies for therapy," <i>Nature</i> , 1988; 332:323-327.
	Rosenberg, "Principles of Cancer Management: Surgical Oncology", <i>Cancer: Principles and Practice of Oncology, Fifth Edition</i> , V. T. Devita, Jr. et al., Eds., Lippincott-Raven, Philadelphia, 1997:cover page, table of contents and 295-333.

EXAMINER 	Date Considered 6/13/03
<small>*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.</small>	

**INFORMATION
DISCLOSURE
STATEMENT**

Atty. Docket No.: 290.00090101

Serial No.: 09/640,952

Applicant(s): Kinch et al.

Confirmation No.: 3252

Application Filing Date: 17 August 2000

Group: 1642

Information Disclosure Statement mailed:

24 March 2003

Initial

Document Description

WAC	Ruiz et al. "The expression of the receptor-protein tyrosine kinase gene, eck, is highly restricted during early mouse development." <i>Mech Dev.</i> 1994;46(2):87-100.
	Schnolzer et al., "Constructing Proteins by Dovetailing Unprotected Synthetic Peptides: Backbone-Engineered HIV Protease," <i>Science</i> , 1992;256:221-225.
	Sims et al. "A Humanized CD18 Antibody Can Block Function without Cell Destruction" <i>J. Immunol.</i> 1993;151:2296.
	Sliwkowski et al., "Nonclinical Studies Addressing the Mechanism of Action of Trastuzumab (Herceptin)" <i>Seminars in Oncology</i> , 1999; 26:60-70.
	Smith et al. "Cardiac Glycoside-Specific Antibodies in the Treatment of Digitalis Intoxication" <i>Antibodies in Human Diagnosis and Therapy</i> 1977:365-389.
	Southern et al., "Transformation of mammalian cells to antibiotic resistance with a bacterial gene under control of the SV40 early region promoter," <i>J. Mol. Appl. Genet.</i> , 1982;1:327-341.
	Stearns et al., "Human xenograft models for prostate cancer," <i>The Prostate</i> , 1998; 36:56-58.
	Stein et al. "Eph receptors discriminate specific ligand oligomers to determine alternative signaling complexes, attachment, and assembly responses." <i>Genes Dev.</i> 1998 Mar 1;12(5):667-78.
	Stein et al. "Nck recruitment to Eph receptor, EphB1/ELK couples ligand activation to c-JUN kinase, <i>J. Biol. Chem.</i> 1998;273:1303-1308.
	Sulman et al. "ECK, a human EPH-related gene, maps to 1p36.1, a common region of alteration in human cancers." <i>Genomics</i> 1997;40(2):371-4.
	Verhoeyen et al., "Reshaping Human Antibodies: Grafting an Antilysozyme Activity," <i>Science</i> , 1988;239:1534-1536.
	Vestweber et al., "Identification of a putative cell adhesion domain of uvomorulin," <i>EMBO J.</i> , 1985;4:3393-3398.
W	Vestweber et al., "Rabbit antiserum against a purified surface glycoprotein decompacts mouse preimplanted embryos and reacts with specific adult tissues," <i>Exp. Cell Res.</i> , 1984;152:169-178.

EXAMINER

Date Considered

*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

**INFORMATION
DISCLOSURE
STATEMENT**

Atty. Docket No.: 290.00090101

Serial No.: 09/640,952

Applicant(s): Kinch et al.

Confirmation No.: 3252

Application Filing Date: 17 August 2000

Group: 1642

Information Disclosure Statement mailed:

24 March 2003



Initial	Document Description
KAL	Vestweber et al., "Some structural and functional aspects of the cell adhesion molecule uvomorulin," <i>Cell Differ.</i> , 1984;15:269-273.
	Walker-Daniels et al. "c-Cbl-Dependent EphA2 Protein Degradation Is Induced by Ligand Binding" <i>Mol Cancer Res.</i> 2002 1(1):79-87.
	Wendling et al. "Retinoid signaling is essential for patterning the endoderm of the third and fourth pharyngeal arches." <i>Development.</i> 2000;127(8):1553-62.
	Zantek et al. "MCF-10A-NeoST: A New Cell System for Studying Cell-ECM and Cell-Cell Interactions in Breast Cancer" <i>Clinical Cancer Research</i> 2001;7:3640-3648.
	Zelinski et al. "Estrogen and Myc Negatively Regulate Expression of the EphA2 Tyrosine Kinase" <i>Journal of Cellular Biology</i> 2002;85:714-720.
	Zhang et al., "Relative malignant potential of human breast carcinoma cell lines established from pleural effusions and a brain metastasis," <i>Invasion Metastasis</i> , 1991; 11:204-215.
	Zhong et al., "Rho-stimulated contractility contributes to the fibroblastic phenotype of ras-transformed epithelial cells," <i>Mol. Biol. Cell.</i> , 1997; 8:2329-2344.
	Zisch et al., "Complex formation between EphB2 and Src requires phosphorylation of tyrosine 611 in the EphB2 juxtamembrane region," <i>Oncogene</i> , 1998;16:2657-2670.
	Zoller et al., "Oligonucleotide-directed mutagenesis using M13-derived vectors: an efficient and general procedure for the production of point mutations in any fragment of DNA," <i>Nucl. Acids Res.</i> , 1982; 10:6487-6500.

EXAMINER

Date Considered

6/13/03

*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.